

- ⇒ [MetaMap Home](#)
- ⇒ [FAQ Home](#)
- ⇒ [Help/Questions](#)

## Using MetaMap to Process a List of Terms with IDs

This input format is very similar to that described in [List of Terms](#). To associate a specific term ID (similar to a MEDLINE PMID) with each term in a list, simply prefix each term with an ID followed by a pipe symbol “|”:

---

```
Txt001|Written informed consent.
Txt002|Age 18 years or older.
Txt003|informed consent.
Txt004|Male or female.
Txt005|At least 18 years of age.
Txt006|Able to give informed consent.
Txt007|Signed informed consent.
Txt008|Healthy.
Txt009|Male.
Txt010|Negative pregnancy test.
Txt011|Signed written informed consent.
Txt012|Ability to understand document.
Txt013|Measurable disease.
Txt014|ECOG performance status 0-2.
Txt015|signed informed consent.
Txt016|Adult patients, >= 18 years of age.
Txt017|Type 2 diabetes.
Txt018|Other protocol-defined criteria.
```

---

Then call MetaMap with the `--sldiID` (**S**ingle-**L**ine **D**elimited **I**nterface with **I**D) option. MetaMap will then treat each phrase as a separate input record, and associate each phrase’s output with the appropriate term ID.

Again, to ensure that each term is processed as a single phrase, and generates the best possible results, we also recommend using these options:

- `-z` (`--term_processing`)—explained [Term Processing](#),
- `-i` (`--ignore_word_order`)—explained [Ignore Word Order](#), and
- `-C` (`--relaxed_model`)—explained [Relaxed Model](#).

**The last line of all MetaMap input files must end with a newline character!**